

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	460	engine same turbocharger same supercharger same (torque or power or load or demand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 11:51
L2	390	1 not camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 11:36
L3	958	engine same turbocharg\$3 same supercharg\$3 same (torque or power or load or demand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 12:33
L4	859	3 not camshaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 12:04
L5	193828	("123").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/20 12:04
L6	100237	("60").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/20 12:04
L7	153	4 and (5 and 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 12:16
L8	25	7 and ("2 stroke" or "two stroke" or "2 cycle" or "two cycle")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 12:20

L9	136	(60/609).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/20 12:19
L10	302	(123/562).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/20 12:19
L11	436	9 or 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 12:20
L12	52	11 and ("2 stroke" or "two stroke" or "2 cycle" or "two cycle")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 12:20
L13	47	turbocharg\$3 same (blower or supercharg\$3) same parallel same (torque or power or load or demand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 12:54
L14	889	turbocharg\$3 same (blower or supercharg\$3) same ((above or high\$3 or greater or over or low\$3 or under or below or less) with (torque or power or load or demand or speed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 13:20
L15	585	turbocharg\$3 same (blower or supercharg\$3) with ((above or high\$3 or greater or over or low\$3 or under or below or less) with (torque or power or load or demand or speed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 13:21
L16	232	14 not (5 or 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 13:01

L17	30806	(blower or supercharg\$3) with (clutch or root or mechanical or driven or belt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 13:21
L18	445	turbocharg\$3 with (blower or supercharg\$3) with ((above or high\$3 or greater or over or low\$3 or under or below or less) with (torque or power or load or demand or speed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 13:21
L19	226	17 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 13:34
L20	187	19 not 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/20 13:34